This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.





UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandra, Virginia 22313-1450 www.usplo.gov

	APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
	09/773,387	02/01/2001	Andrew Brookfield Swaine	550-205	3984
	75	90 07/16/2004		EXAMINER	
	NIXON & VA 8th Floor	NDERHYE P.C.		RUITEN, JAMES D	
1100 North Glebe Road		be Road		ART UNIT	PAPER NUMBER
	Arlington, VA	22201		2122	

DATE MAILED: 07/16/2004

Please find below and/or attached an Office communication concerning this application or proceeding.



	Application No.	Applicant(s)	
	09/773,387	SWAINE ET AL.	ar a
Office Action Summary	Examiner	Art Unit	
	J. Derek Rutten	2122	
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	correspondence addre	ss
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period we Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	86(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) day fill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nely filed s will be considered timely, the mailing date of this comm D (35 U.S.C. § 133).	unication.
Status			
1) Responsive to communication(s) filed on 28 Ap	oril 2004.		
	action is non-final.		
3) Since this application is in condition for allowan	ice except for formal matters, pro	secution as to the mo	erits is
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	53 O.G. 213.	
Disposition of Claims			
4)⊠ Claim(s) <u>1-24</u> is/are pending in the application.			
4a) Of the above claim(s) is/are withdraw			
5) Claim(s) is/are allowed.			
6)⊠ Claim(s) <u>1-24</u> is/are rejected.			
7) Claim(s) is/are objected to.			
8) Claim(s) are subject to restriction and/or	election requirement.		
Application Papers			
9) The specification is objected to by the Examiner	r.		
10) The drawing(s) filed on is/are: a) acce	epted or b) objected to by the I	Examiner.	
Applicant may not request that any objection to the o	drawing(s) be held in abeyance. See	e 37 CFR 1.85(a).	
Replacement drawing sheet(s) including the correcti	on is required if the drawing(s) is obj	jected to. See 37 CFR	I.121(d).
11) The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form PTO-	152.
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priorical application from the International Bureau * See the attached detailed Office action for a list of	s have been received. s have been received in Applicati ity documents have been receive (PCT Rule 17.2(a)).	on No ed in this National Sta	ge
Attachment(s)			
I) ☑ Notice of References Cited (PTO-892) ☑ Notice of Draftsperson's Patent Drawing Review (PTO-948)	4) Interview Summary Paper No(s)/Mail Da		
Paper No(s)/Mail Date	5) Notice of Informal P 6) Other:		2)

Art Unit: 2122

Page 2

DETAILED ACTION

- 1. Acknowledgement is made of Applicants' amendment dated April 28 2004, responding to the January 29 2004 Office Action provided in the rejection of claims 1-13, wherein claims 6, 11, and 13 have been amended, and claims 14-20 have been added. Claims 1-20 remain pending in the application and have been fully considered by the examiner.
- 2. Applicant's arguments, see bottom of page 12 through page 13, filed April 28 2004, with respect to the rejection(s) of claim(s) 1, 2, 7-10, and 12 under 35 U.S.C. §103 have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of U.S. Patent 6,681,321 to Dale et al. (hereinafter referred to as "Dale").

Claim Objections

3. Claim 15 is objected to because of the following informalities: Claim 15 is dependent upon later claim 16. Dependent claims should follow the base claims from which they depend (37 CFR 1.75(c)). However, comparison of this claim with prior claim 2 suggests that this is simply a typo, and that claim 15 is intended to be dependent upon claim 14. Therefore, this claim will be presumed to have a typo and that line 1 of the claim should instead read --Apparatus as claimed in claim 14--. Appropriate clarification and correction is required.

Claim Rejections - 35 USC § 112

4. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Art Unit: 2122

5. Claims 11 and 24 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Page 3

- 6. Claim 11 recites the limitation "both behaviors" in line 2. There is insufficient antecedent basis for this limitation in the claim. For the purpose of further examination this limitation will be interpreted in light of page 12 line 31 through page 13 line 2 of the originally filed specification as "both two behaviors simultaneously wherein the behaviors consist of: (i) said exact match signal is user configurable; and (ii) said exact match signal is set under hardware control depending upon a use of said trigger condition." Applicant's attempt to remedy the defects of claim 11 is noted on page 10 of the response, but it is not clear from the amendment how this has been remedied.
- 7. Claim 24 recites the limitation "both behaviors" in line 2, as described in the above rejection of claim 11. However, this claim is dependent upon claim 14, which does not allow for the above interpretation of claim 11 with respect to claim 24. However, as discussed in the objection of claim 15, dependency upon claim 14 will be presumed to be a typo and will be interpreted as being dependent instead upon claim 21. Further, the claimed limitation of "both behaviors" will be interpreted with respect to the above rejection of claim 11.

Claim Rejections - 35 USC § 103

8. Claims 1-4, 7, 12-17, and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over the "Description of the Prior Art" section on pages 2 and 3 of the originally filed specification (hereinafter referred to as "DPA") in view of Dale.

Art Unit: 2122

Page 4

As per claim 1, DPA discloses:

- (i) a processing circuit operable to process data values under control of processing instructions;
- (ii) a memory operable to store data values to be processed, said processing circuit being responsive to a data access instruction to access a data value stored within said memory; and
- (iii) a tracing circuit operable to generate a stream of trace data identifying processing instructions executed and data values accessed by said processing circuit;

(See page 2, lines 13-15: "Tracing the activity of a data processing system whereby a trace stream is generated including data representing the step-by-step activity within the system is a highly useful tool in system development."; also page 2, lines 19-21: "Examples of such on-chip tracing mechanisms are the Embedded Trace Macrocell provided by ARM Limited, Cambridge, England in association with their ARM7 and ARM9 processors." ARM7 and ARM9 processors inherently process data values under control of processing instructions, otherwise they would not have any functional value. They also contain memory for data storage and inherently use access instructions for accessing the data from memory, otherwise they would not be able to process the data. The Embedded Trace Macrocell, or "ETM", is the tracing circuit that identifies instructions and data used by the ARM chip. Note that further information regarding ARM9 processors can be found in "ARM966E-S: Technical Reference Manual" by ARM Limited.)

wherein

(iv) a data access instruction may result in a data miss such that a data value corresponding to said data access instruction is accessed upon a processing cycle subsequent to that upon which said access would occur without said data miss (page 3 lines 5-12: "However, should a load miss occur whereby the load of the data value cannot be satisfied from the cache and requires a slower non-cache access, such as to a main memory, then the data value will not be returned for possibly many processing cycles. Rather than halt data processing, it is known to provide systems, such as the ARM1020T processor, in which other program instructions can continue to execute whilst the data from the previous load miss is still awaited providing those later instructions do not require or depend on the data value that has not yet been retrieved.").

DPA does not disclose generating a data placeholder or insertion of late data into a data stream.

However, in an analogous environment, Dale teaches:

(v) said tracing circuit is responsive to said data miss to generate a data place holder within said stream of trace data at a position where data identifying said data value would have been placed if said data miss had not occurred (column 2 lines 16-19: "As instructions are scheduled, unique identifier information for the scheduled instructions is stored in the trace storage device in association with the address information of the instructions.") and then, when said access to said data value does occur, to insert at a later point in said stream of trace data a late data

value identifying said data value (column 2 lines 7-10: "When a cache load is necessary to obtain instructions that are not already stored in the instruction cache or data that is not already stored in the data cache, updated cache information is stored in the trace storage device.").

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use Dale's identifier information in the tracing circuit of DPA. One of ordinary skill would have been motivated to collect accurate non-disruptive execution traces of out-of-order processors in order to examine program behavior.

As per claim 2, the above rejection of claim 1 is incorporated. DPA further discloses the apparatus as claimed in claim 1, wherein said memory comprises a cache memory and a main memory, a data miss occurring when a data value being accessed is not stored within said cache memory (DPA page 3 lines 5-8).

As per claim 3, the above rejection of claim 1 is incorporated. DPA does not expressly disclose tag values. However, in an analogous environment, Dale teaches said data place holder includes a tag value and said late data value includes a matching tag value (column 7 line 52 – column 8 line 3).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use Dale's tags with the tracing circuit of DPA. One of ordinary

skill in the art would have been motivated to correlate two pieces of data for further analysis.

As per claim 4, the above rejection of claim 3 is incorporated. DPA does not expressly disclose late data values generated in a different order than their corresponding data misses. However, Dale teaches out-of-order execution and the collection of data in a different order than the instructions issued (column 5 line 45-52).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to implement Dale's handling of out-of-order execution in the tracing circuit of DPA. One of ordinary skill would have been motivated to anticipate the varying latencies between different elements of a memory hierarchy to ensure the proper collection of data.

As per claim 7, DPA further discloses the apparatus as claimed in claim 1, wherein said tracing circuit is operable to control tracing operation in response to a trigger condition associated with one or more of said data value and a memory address associated with said data value (page 2 lines 19-21. Trigger conditions are supported by the Embedded Trace Macrocell.).

As per claim 12, DPA also/further discloses a method (page 2 lines 13-15: "stepby-step"). All other limitations have been addressed in the above rejection of claim 1.

Art Unit: 2122

As per claim 13, DPA discloses controlling a data processing apparatus to analyze a stream of trace data (as addressed in the above rejection of claim 12). DPA does not expressly disclose a computer program product. However, Dale teaches the use of a computer program product (column 11 line 37 – column 12 line 14).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use Dale's computer program product with the tracing circuit of DPA. One of ordinary skill in the art would have been motivated to sell and distribute the computer program.

All other limitations have been addressed in the above rejection of claim 12.

As per claim 14, DPA discloses an apparatus for processing data (page 2 lines 19-21). All further limitations have been addressed in the above rejection of claim 1.

As per claims 15-17 and 20, the above rejection of claim 14 is incorporated. All further limitations have been addressed in the above rejections of claims 2-4 and 7, respectively.

9. Claims 5 and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of DPA and Dale as applied to claim 1 above, and further in view of prior art of record U.S. Patent 5,555,392 to Chaput et al. (hereinafter referred to as "Chaput").

Art Unit: 2122

As per claim 5, the combination of DPA and Dale does not disclose the apparatus as claimed in claim 1, wherein said data place holder includes data identifying how many outstanding late data values are awaited at that time.

However, in an analogous environment, Chaput teaches the use of a field for counting the number of outstanding load misses (column 3 lines 35-36).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use Chaput's load miss field with the combination of DPA and Westcott's tracing mechanism. One of ordinary skill would have been motivated to track the status of pending load operations.

As per claim 18, the above rejection of claim 14 is incorporated. All further limitations have been addressed in the above rejection of claim 5.

10. Claims 6 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of DPA and Dale as applied to claims 1 and 14, respectively above, and further in view of prior art of record Chaput, and further in view of U.S. Patent 6,009,270 to Mann (hereinafter referred to as "Mann").

As per claim 6, the rejection of claims 1 and 5 are incorporated. DPA and Dale do not expressly disclose the apparatus as claimed in claim 1, wherein said stream of trace data includes periodic synchronising data, said synchronising data including data identifying how many outstanding late data values are awaited at that time.

However, in an analogous environment, Chaput teaches the use of a field for counting the number of outstanding load misses (column 3 lines 35-36). Further Mann teaches input of synchronization information into a data trace (column 2 lines 60-64).

Page 10

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use Mann's synchronization stream with Chaput's outstanding load miss count with DPA and Dale's tracing circuit. One of ordinary skill would have been motivated to provide synchronization information to a tracing circuit to allow proper trace collection.

As per claim 19, the above rejection of claim 14 is incorporated. All further limitations have been addressed in the above rejection of claim 6.

11. Claims 8-10 and 21-23 are rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of DPA and Dale as applied to claims 7 and 20, respectively above, in view of prior art of record European Patent Application Publication 0 465 765 A2, "Instruction Sampling Instrumentation" by Westcott and White (hereinafter referred to as "Westcott").

As per claim 8, the above rejection of claim 7 is incorporated. DPA does not expressly disclose wherein said tracing circuit is responsive to an exact match signal such that a trigger condition associated with a data value for which a data miss occurs is either:

Art Unit: 2122

- (i) not triggered until said data value is accessed and found to meet said trigger condition; or
- (ii) triggered upon said data miss upon an assumption that said data value when accessed will meet said trigger condition.

However, in an analogous environment, Westcott teaches using a sample pulse signal to indicate a match reactive to a trigger condition associated with a data value (See column 6 lines 7-15 and 26-31).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use Westcott's trigger with DPA's tracing circuit. One of ordinary skill would have been motivated to collect only that data which is of particular interest and which meets a selected requirement.

As per claim 9, the above rejection of claim 8 is incorporated. DPA does not expressly disclose the apparatus as claimed in claim 8, wherein said exact match signal is user configurable.

However, in an analogous environment, Westcott teaches user selected trigger conditions (column 6 lines 7-11).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use Westcott's user selected trigger conditions with DPA's trigger circuit. One of ordinary skill would have been motivated to collect only that data which is of particular interest.

As per claim 10, the above rejection of claim 8 is incorporated. DPA does not expressly disclose the apparatus as claimed in claim 8, wherein said exact match signal is set under hardware control depending upon a use of said trigger condition.

However, in an analogous environment, Westcott teaches event selection (match signal) based on a trigger condition (column 6 lines 45-47).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use Westcott's hardware event selection with DPA trigger circuit.

One of ordinary skill would have been motivated to provide an automatic signal for triggering.

As per claims 21-23, the above rejection of claim 20 is incorporated. All further limitations have been addressed in the above rejections of claims 8-10, respectively.

12. Claims 11 and 24 are rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of DPA, Dale and Westcott as applied to claim 8 above, and further in view of prior art of record U.S. Patent 5,978,742 to Pickerd (hereinafter referred to as "Pickerd").

As per claim 11, the above rejection of claim 8 is incorporated. DPA does not expressly disclose: the apparatus as claimed in claim 8, wherein said exact match signal has different values in different parts of said tracing circuit to provide two behaviors simultaneously wherein the behaviors consist of:

(i) said exact match signal is user configurable; and

Art Unit: 2122

(ii) said exact match signal is set under hardware control depending upon a use of said trigger condition.

However, in an analogous environment, Westcott teaches user selected trigger conditions (column 6 lines 7-11), and event selection (*match signal*) based on a trigger condition (column 6 lines 45-47).

Further, in an analogous environment, Pickerd teaches a circuit providing two trigger behaviors simultaneously (column 9 lines 36-41).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use Pickerd's simultaneous trigger events and Westcott's behaviors with DPA's tracing circuit. One of ordinary skill in the art would be motivated to collect information relating to multiple trigger events to enable further customization.

As per claim 24, the above rejection of claim 21 is incorporated. All further limitations have been addressed in the above rejection of claim 11.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to J. Derek Rutten whose telephone number is (703) 605-5233. The examiner can normally be reached on M-F 6:30-3:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tuan Q. Dam can be reached on (703) 305-4552. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2122

Page 14

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

jdr

WEI Y. ZHEN

MARY EXAMINER

WEI Y. ZHEN PRIMARY EXAMINER